
DESK REFERENCE

TO THE

DIAGNOSTIC CRITERIA

FROM

DSM-5-TR™

AMERICAN PSYCHIATRIC ASSOCIATION

Desk Reference
to the
Diagnostic Criteria
From
DSM-5-TR™

Contents

Preface

DSM-5-TR Classification

Section I DSM-5 Basics

Use of the Manual

Cautionary Statement for Forensic Use of DSM-5

Section II Diagnostic Criteria and Codes

Neurodevelopmental Disorders

Schizophrenia Spectrum and Other Psychotic Disorders

Bipolar and Related Disorders

Depressive Disorders

Anxiety Disorders

Obsessive-Compulsive and Related Disorders

Trauma- and Stressor-Related Disorders

Dissociative Disorders

Somatic Symptom and Related Disorders

Feeding and Eating Disorders

Elimination Disorders

Sleep-Wake Disorders

Sexual Dysfunctions

Gender Dysphoria

Disruptive, Impulse-Control, and Conduct Disorders

Substance-Related and Addictive Disorders

Neurocognitive Disorders

Personality Disorders

Paraphilic Disorders

Other Mental Disorders and Additional Codes

**Medication-Induced Movement Disorders and Other
Adverse Effects of Medication**

**Other Conditions That May Be a Focus of Clinical
Attention**

Index

Preface

The publication of **DSM-5-TR** brings updates to the diagnostic classification and coding of DSM-5 mental disorders, as well as clarifications to the diagnostic criteria for more than 70 disorders. For quick reference, clinicians may find useful this small and convenient manual that contains only the DSM-5-TR Classification (i.e., the complete list of disorders, subtypes, specifiers, and diagnostic codes by DSM-5-TR chapter), an updated section describing use of the manual, and updated DSM-5 diagnostic criteria sets and coding notes. The *Desk Reference to the Diagnostic Criteria From DSM-5-TR* is meant to be used in conjunction with the fully updated DSM-5-TR. Proper use of the Desk Reference requires familiarity with the text descriptions for each disorder that accompany the criteria sets. The DSM-5-TR text descriptions have also been comprehensively updated to reflect the most recent literature and the impact of culture, racism, and discrimination on psychiatric diagnosis.

This handy reference provides all updated ICD-10-CM codes, coding notes, and recording procedures included in DSM-5-TR, including diagnostic criteria for the new diagnosis of prolonged grief disorder. Newly available are also symptom codes for indicating current (and past history of) suicidal behavior and nonsuicidal self-injury.

Clinicians will find additional reference information in DSM-5-TR, including Section III: Emerging Measures and Models (containing assessment measures, updated text on psychiatric diagnosis and culture, cultural formulation and interviews, an alternative DSM-5 model for personality disorders, and conditions for further study) and the DSM-5-TR Appendix (containing alphabetical and numerical ICD-10-CM code listings of DSM-5 diagnoses). Assessment measures and additional information are available online at www.psychiatry.org/dsm5.

See www.dsm5.org for periodic DSM-5-TR coding and other updates.

DSM-5-TR Classification

Before each disorder name, ICD-10-CM codes are provided. Blank lines indicate that the ICD-10-CM code depends on the applicable subtype, specifier, or class of substance. For periodic DSM-5-TR coding and other updates, see www.dsm5.org.

Following chapter titles and disorder names, page numbers for the corresponding text or criteria are included in parentheses.

Note for all mental disorders due to another medical condition: Insert the name of the etiological medical condition within the name of the mental disorder due to [the medical condition]. The code and name for the etiological medical condition should be listed first immediately before the mental disorder due to the medical condition.

Neurodevelopmental Disorders (19)

Intellectual Developmental Disorders (19)

____.____ Intellectual Developmental Disorder (Intellectual Disability) (19)

Specify current severity:

F70 Mild

F71 Moderate

F72 Severe

F73 Profound

F88 Global Developmental Delay (24)

F79 Unspecified Intellectual Developmental Disorder (Intellectual Disability) (24)

Communication Disorders (24)

F80.2 Language Disorder (24)

F80.0 Speech Sound Disorder (25)

F80.81 Childhood-Onset Fluency Disorder (Stuttering) (25)

Note: Later-onset cases are diagnosed as F98.5 adult-onset fluency disorder.

F80.82 Social (Pragmatic) Communication Disorder (26)

F80.9 Unspecified Communication Disorder (26)

X

Autism Spectrum Disorder (27)

F84.0 Autism Spectrum Disorder (27)

Specify current severity: Requiring very substantial support, Requiring substantial support, Requiring support

Specify if: With or without accompanying intellectual impairment, With or without accompanying language impairment

Specify if: Associated with a known genetic or other medical condition or environmental factor (**Coding note:** Use additional code to identify the associated genetic or other medical condition); Associated with a neurodevelopmental, mental, or behavioral problem

Specify if: With catatonia (use additional code F06.1)

Attention-Deficit/Hyperactivity Disorder (31)

____.____ Attention-Deficit/Hyperactivity Disorder (31)

Specify if: In partial remission

Specify current severity: Mild, Moderate, Severe

Specify whether:

F90.2 Combined presentation

F90.0 Predominantly inattentive presentation

F90.1 Predominantly hyperactive/impulsive presentation

F90.8 Other Specified Attention-Deficit/Hyperactivity Disorder (33)

F90.9 Unspecified Attention-Deficit/Hyperactivity Disorder (34)

Specific Learning Disorder (34)

____.____ Specific Learning Disorder (34)

Specify current severity: Mild, Moderate, Severe

Specify if:

- F81.0** With impairment in reading (specify if with word reading accuracy, reading rate or fluency, reading comprehension)
- F81.81** With impairment in written expression (specify if with spelling accuracy, grammar and punctuation accuracy, clarity or organization of written expression)
- F81.2** With impairment in mathematics (specify if with number sense, memorization of arithmetic facts, accurate or fluent calculation, accurate math reasoning)

Motor Disorders (37)

F82 Developmental Coordination Disorder (37)

F98.4 Stereotypic Movement Disorder (37)

Specify if: With self-injurious behavior, Without self-injurious behavior

Specify if: Associated with a known genetic or other medical condition, neurodevelopmental disorder, or environmental factor

Specify current severity: Mild, Moderate, Severe

xi

Tic Disorders (38)

F95.2 Tourette's Disorder (38)

F95.1 Persistent (Chronic) Motor or Vocal Tic Disorder (38)

Specify if: With motor tics only, With vocal tics only

F95.0 Provisional Tic Disorder (39)

F95.8 Other Specified Tic Disorder (39)

F95.9 Unspecified Tic Disorder (39)

Other Neurodevelopmental Disorders (40)

F88 Other Specified Neurodevelopmental Disorder (40)

F89 Unspecified Neurodevelopmental Disorder (40)

Schizophrenia Spectrum and Other Psychotic Disorders (41)

The following specifiers apply to Schizophrenia Spectrum and Other Psychotic Disorders where indicated:

^a*Specify* if: The following course specifiers are only to be used after a 1-year duration of the disorder: First episode, currently in acute episode; First episode, currently in partial remission; First episode, currently in full remission; Multiple episodes, currently in acute episode; Multiple episodes, currently in partial remission; Multiple episodes, currently in full remission; Continuous; Unspecified

^b*Specify* if: With catatonia (use additional code F06.1)

^c*Specify* current severity of delusions, hallucinations, disorganized speech, abnormal psychomotor behavior, negative symptoms, impaired cognition, depression, and mania symptoms

F21 Schizotypal (Personality) Disorder (41)

F22 Delusional Disorder^{a,c} (41)

Specify whether: Erotomantic type, Grandiose type, Jealous type, Persecutory type, Somatic type, Mixed type, Unspecified type

Specify if: With bizarre content

F23 Brief Psychotic Disorder^{b,c} (43)

Specify if: With marked stressor(s), Without marked stressor(s), With peripartum onset

F20.81 Schizophreniform Disorder^{b,c} (44)

Specify if: With good prognostic features, Without good prognostic features

F20.9 Schizophrenia^{a,b,c} (45)

____.____ Schizoaffective Disorder^{a,b,c} (47)

Specify whether:

F25.0 Bipolar type

F25.1 Depressive type

xii

____.____ Substance/Medication-Induced Psychotic Disorder^c (48)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced psychotic disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

____.____ Psychotic Disorder Due to Another Medical Condition^c (51)

Specify whether:

F06.2 With delusions

F06.0 With hallucinations

F06.1 Catatonia Associated With Another Mental Disorder (Catatonia Specifier) (52)

F06.1 Catatonic Disorder Due to Another Medical Condition (52)

F06.1 Unspecified Catatonia (53)

Note: Code first **R29.818** other symptoms involving nervous and musculoskeletal systems.

F28 Other Specified Schizophrenia Spectrum and Other Psychotic Disorder (54)

F29 Unspecified Schizophrenia Spectrum and Other Psychotic Disorder (55)

Bipolar and Related Disorders (57)

The following specifiers apply to Bipolar and Related Disorders where indicated:

^a*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With rapid cycling; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code F06.1); With peripartum onset; With seasonal pattern

^b*Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With rapid cycling; With peripartum onset; With seasonal pattern

____.____ Bipolar I Disorder^a (57)

____.____ Current or most recent episode manic

F31.11 Mild

F31.12 Moderate

F31.13 Severe

F31.2 With psychotic features

xiii

F31.73 In partial remission

F31.74 In full remission

- F31.9** Unspecified
- F31.0** Current or most recent episode hypomanic
- F31.71** In partial remission
- F31.72** In full remission
- F31.9** Unspecified
- ____.____ Current or most recent episode depressed
- F31.31** Mild
- F31.32** Moderate
- F31.4** Severe
- F31.5** With psychotic features
- F31.75** In partial remission
- F31.76** In full remission
- F31.9** Unspecified
- F31.9** Current or most recent episode unspecified

F31.81 Bipolar II Disorder (62)

Specify current or most recent episode: Hypomanic^b, Depressed^a

Specify course if full criteria for a mood episode are not currently met: In partial remission, In full remission

Specify severity if full criteria for a major depressive episode are currently met: Mild, Moderate, Severe

F34.0 Cyclothymic Disorder (66)

Specify if: With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe)

____.____ Substance/Medication-Induced Bipolar and Related Disorder (66)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced bipolar and related disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

____.____ Bipolar and Related Disorder Due to Another Medical Condition (69)

Specify if:

- F06.33** With manic features
- F06.33** With manic- or hypomanic-like episode
- F06.34** With mixed features
- F31.89** Other Specified Bipolar and Related Disorder (70)
- F31.9** Unspecified Bipolar and Related Disorder (71)
- F39** Unspecified Mood Disorder (71)

Depressive Disorders (81)

- F34.81** Disruptive Mood Dysregulation Disorder (81)
- ____.____ Major Depressive Disorder (82)
 - Specify:* With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With mixed features; With melancholic features; With atypical features; With mood-congruent psychotic features; With mood-incongruent psychotic features; With catatonia (use additional code F06.1); With peripartum onset; With seasonal pattern
 - ____.____ Single episode
 - F32.0** Mild
 - F32.1** Moderate
 - F32.2** Severe
 - F32.3** With psychotic features
 - F32.4** In partial remission
 - F32.5** In full remission
 - F32.9** Unspecified
 - ____.____ Recurrent episode
 - F33.0** Mild
 - F33.1** Moderate
 - F33.2** Severe
 - F33.3** With psychotic features
 - F33.41** In partial remission
 - F33.42** In full remission

F33.9 Unspecified

F34.1 Persistent Depressive Disorder (84)

Specify: With anxious distress (*specify* current severity: mild, moderate, moderate-severe, severe); With atypical features

Specify if: In partial remission, In full remission

Specify if: Early onset, Late onset

Specify if: With pure dysthymic syndrome; With persistent major depressive episode; With intermittent major depressive episodes, with current episode; With intermittent major depressive episodes, without current episode

Specify current severity: Mild, Moderate, Severe

F32.81 Premenstrual Dysphoric Disorder (86)

____.____ Substance/Medication-Induced Depressive Disorder (87)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced depressive disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

XV

____.____ Depressive Disorder Due to Another Medical Condition (89)

Specify if:

F06.31 With depressive features

F06.32 With major depressive-like episode

F06.34 With mixed features

F32.89 Other Specified Depressive Disorder (90)

F32.A Unspecified Depressive Disorder (91)

F39 Unspecified Mood Disorder (92)

Anxiety Disorders (99)

F93.0 Separation Anxiety Disorder (99)

F94.0 Selective Mutism (100)

____.____ Specific Phobia (100)

Specify if:

F40.218 Animal

F40.228 Natural environment

____.____ Blood-injection-injury

F40.230 Fear of blood

F40.231 Fear of injections and transfusions

F40.232 Fear of other medical care

F40.233 Fear of injury

F40.248 Situational

F40.298 Other

F40.10 Social Anxiety Disorder (101)

Specify if: Performance only

F41.0 Panic Disorder (102)

____.____ Panic Attack Specifier (103)

F40.00 Agoraphobia (104)

F41.1 Generalized Anxiety Disorder (105)

____.____ Substance/Medication-Induced Anxiety Disorder (105)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced anxiety disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

F06.4 Anxiety Disorder Due to Another Medical Condition (108)

F41.8 Other Specified Anxiety Disorder (108)

F41.9 Unspecified Anxiety Disorder (109)

Obsessive-Compulsive and Related Disorders (111)

The following specifier applies to Obsessive-Compulsive and Related Disorders where indicated:

^a*Specify* if: With good or fair insight, With poor insight, With absent insight/delusional beliefs

F42.2 Obsessive-Compulsive Disorder^a (111)

Specify if: Tic-related

F45.22 Body Dysmorphic Disorder^a (112)

Specify if: With muscle dysmorphia

F42.3 Hoarding Disorder^a (113)

Specify if: With excessive acquisition

F63.3 Trichotillomania (Hair-Pulling Disorder) (114)

F42.4 Excoriation (Skin-Picking) Disorder (114)

____.____ Substance/Medication-Induced Obsessive-Compulsive and Related Disorder (114)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced obsessive-compulsive and related disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

F06.8 Obsessive-Compulsive and Related Disorder Due to Another Medical Condition (117)

Specify if: With obsessive-compulsive disorder–like symptoms, With appearance preoccupations, With hoarding symptoms, With hair-pulling symptoms, With skin-picking symptoms

F42.8 Other Specified Obsessive-Compulsive and Related Disorder (118)

F42.9 Unspecified Obsessive-Compulsive and Related Disorder (119)

Trauma- and Stressor-Related Disorders (121)

F94.1 Reactive Attachment Disorder (121)

Specify if: Persistent

Specify current severity: Severe

F94.2 Disinhibited Social Engagement Disorder (122)

Specify if: Persistent

Specify current severity: Severe

xvii

F43.10 Posttraumatic Stress Disorder (123)

Specify whether: With dissociative symptoms

Specify if: With delayed expression

____.____ Posttraumatic Stress Disorder in Individuals Older Than 6 Years (123)

____.____ Posttraumatic Stress Disorder in Children 6 Years and Younger (125)

F43.0 Acute Stress Disorder (127)

____.____ Adjustment Disorders (129)

Specify if: Acute, Persistent (chronic)

Specify whether:

F43.21 With depressed mood

F43.22 With anxiety

F43.23 With mixed anxiety and depressed mood

F43.24 With disturbance of conduct

F43.25 With mixed disturbance of emotions and conduct

F43.20 Unspecified

F43.81 Prolonged Grief Disorder (130)

F43.89 Other Specified Trauma- and Stressor-Related Disorder (131)

F43.9 Unspecified Trauma- and Stressor-Related Disorder (132)

Dissociative Disorders (133)

F44.81 Dissociative Identity Disorder (133)

F44.0 Dissociative Amnesia (133)

Specify if:

F44.1 With dissociative fugue

F48.1 Depersonalization/Derealization Disorder (134)

F44.89 Other Specified Dissociative Disorder (134)

F44.9 Unspecified Dissociative Disorder (135)

Somatic Symptom and Related Disorders (137)

F45.1 Somatic Symptom Disorder (137)

Specify if: With predominant pain

Specify if: Persistent

Specify current severity: Mild, Moderate, Severe

F45.21 Illness Anxiety Disorder (137)

Specify whether: Care-seeking type, Care-avoidant type

____ Functional Neurological Symptom Disorder (Conversion Disorder) (138)

Specify if: Acute episode, Persistent

Specify if: With psychological stressor (specify stressor), Without psychological stressor

xviii

Specify symptom type:

F44.4 With weakness or paralysis

F44.4 With abnormal movement

F44.4 With swallowing symptoms

F44.4 With speech symptom

F44.5 With attacks or seizures

F44.6 With anesthesia or sensory loss

F44.6 With special sensory symptom

F44.7 With mixed symptoms

F54 Psychological Factors Affecting Other Medical Conditions (139)

Specify current severity: Mild, Moderate, Severe, Extreme

____ Factitious Disorder (139)

Specify: Single episode, Recurrent episodes

F68.10 Factitious Disorder Imposed on Self

F68.A Factitious Disorder Imposed on Another

F45.8 Other Specified Somatic Symptom and Related Disorder (140)

F45.9 Unspecified Somatic Symptom and Related Disorder (141)

Feeding and Eating Disorders (143)

The following specifiers apply to Feeding and Eating Disorders where indicated:

^a*Specify* if: In remission

^b*Specify* if: In partial remission, In full remission

^c*Specify* current severity: Mild, Moderate, Severe, Extreme

____.____ Pica^a (143)

F98.3 In children

F50.89 In adults

F98.21 Rumination Disorder^a (143)

F50.82 Avoidant/Restrictive Food Intake Disorder^a (144)

____.____ Anorexia Nervosa^{b,c} (144)

Specify whether:

F50.01 Restricting type

F50.02 Binge-eating/purging type

F50.2 Bulimia Nervosa^{b,c} (145)

F50.81 Binge-Eating Disorder^{b,c} (146)

F50.89 Other Specified Feeding or Eating Disorder (147)

F50.9 Unspecified Feeding or Eating Disorder (148)

xix

Elimination Disorders (149)

F98.0 Enuresis (149)

Specify whether: Nocturnal only, Diurnal only, Nocturnal and diurnal

F98.1 Encopresis (149)

Specify whether: With constipation and overflow incontinence, Without constipation and overflow incontinence

____.____ Other Specified Elimination Disorder (150)

N39.498 With urinary symptoms

R15.9 With fecal symptoms

____.____ Unspecified Elimination Disorder (150)

R32 With urinary symptoms

R15.9 With fecal symptoms

Sleep-Wake Disorders (151)

The following specifiers apply to Sleep-Wake Disorders where indicated:

^a*Specify* if: Episodic, Persistent, Recurrent

^b*Specify* if: Acute, Subacute, Persistent

^c*Specify* current severity: Mild, Moderate, Severe

F51.01 Insomnia Disorder^a (151)

Specify if: With mental disorder, With medical condition, With another sleep disorder

F51.11 Hypersomnolence Disorder^{b,c} (152)

Specify if: With mental disorder, With medical condition, With another sleep disorder

____.____ Narcolepsy^c (153)

Specify whether:

G47.411 Narcolepsy with cataplexy or hypocretin deficiency (type 1)

G47.419 Narcolepsy without cataplexy and either without hypocretin deficiency or hypocretin unmeasured (type 2)

G47.421 Narcolepsy with cataplexy or hypocretin deficiency due to a medical condition

G47.429 Narcolepsy without cataplexy and without hypocretin deficiency due to a medical condition

Breathing-Related Sleep Disorders (154)

G47.33 Obstructive Sleep Apnea Hypopnea^c (154)

____.____ Central Sleep Apnea (155)

Specify current severity

Specify whether:

G47.31 Idiopathic central sleep apnea

R06.3 Cheyne-Stokes breathing

G47.37 Central sleep apnea comorbid with opioid use

Note: First code opioid use disorder, if present.

____.____ Sleep-Related Hypoventilation (156)

Specify current severity

Specify whether:

G47.34 Idiopathic hypoventilation

G47.35 Congenital central alveolar hypoventilation

G47.36 Comorbid sleep-related hypoventilation

____.____ Circadian Rhythm Sleep-Wake Disorders^a (156)

Specify whether:

G47.21 Delayed sleep phase type (157)

Specify if: Familial, Overlapping with non-24-hour sleepwake type

G47.22 Advanced sleep phase type (157)

Specify if: Familial

G47.23 Irregular sleep-wake type (157)

G47.24 Non-24-hour sleep-wake type (157)

G47.26 Shift work type (157)

G47.20 Unspecified type (157)

Parasomnias (158)

____.____ Non-Rapid Eye Movement Sleep Arousal Disorders (158)

Specify whether:

F51.3 Sleepwalking type

Specify if: With sleep-related eating, With sleep-related sexual behavior (sexsomnia)

F51.4 Sleep terror type

F51.5 Nightmare Disorder^{b,c} (158)

Specify if: During sleep onset

Specify if: With mental disorder, With medical condition, With another sleep disorder

G47.52 Rapid Eye Movement Sleep Behavior Disorder (159)

G25.81 Restless Legs Syndrome (160)

____.____ Substance/Medication-Induced Sleep Disorder (161)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific

substance/medication-induced sleep disorder. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify whether: Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

xxi

- G47.09** Other Specified Insomnia Disorder (163)
- G47.00** Unspecified Insomnia Disorder (164)
- G47.19** Other Specified Hypersomnolence Disorder (164)
- G47.10** Unspecified Hypersomnolence Disorder (165)
- G47.8** Other Specified Sleep-Wake Disorder (165)
- G47.9** Unspecified Sleep-Wake Disorder (165)

Sexual Dysfunctions (167)

The following specifiers apply to Sexual Dysfunctions where indicated:

^a*Specify* whether: Lifelong, Acquired

^b*Specify* whether: Generalized, Situational

^c*Specify* current severity: Mild, Moderate, Severe

- F52.32** Delayed Ejaculation^{a,b,c} (167)
- F52.21** Erectile Disorder^{a,b,c} (167)
- F52.31** Female Orgasmic Disorder^{a,b,c} (168)
Specify if: Never experienced an orgasm under any situation
- F52.22** Female Sexual Interest/Arousal Disorder^{a,b,c} (169)
- F52.6** Genito-Pelvic Pain/Penetration Disorder^{a,c} (170)
- F52.0** Male Hypoactive Sexual Desire Disorder^{a,b,c} (171)
- F52.4** Premature (Early) Ejaculation^{a,b,c} (172)
- .— Substance/Medication-Induced Sexual Dysfunction^c (173)

Note: For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced sexual dysfunction. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given.

Specify if: With onset during intoxication, With onset during withdrawal, With onset after medication use

F52.8 Other Specified Sexual Dysfunction (175)

F52.9 Unspecified Sexual Dysfunction (175)

Gender Dysphoria (177)

The following specifier and note apply to Gender Dysphoria where indicated:

^a*Specify if:* With a disorder/difference of sex development

^b**Note:** Code the disorder/difference of sex development if present, in addition to gender dysphoria.

___ Gender Dysphoria (177)

xxii

F64.2 Gender Dysphoria in Children^{a,b}

F64.0 Gender Dysphoria in Adolescents and Adults^{a,b}

Specify if: Posttransition

F64.8 Other Specified Gender Dysphoria (178)

F64.9 Unspecified Gender Dysphoria (179)

Disruptive, Impulse-Control, and Conduct Disorders (181)

F91.3 Oppositional Defiant Disorder (181)

Specify current severity: Mild, Moderate, Severe

F63.81 Intermittent Explosive Disorder (182)

___ Conduct Disorder (183)

Specify if: With limited prosocial emotions

Specify current severity: Mild, Moderate, Severe

Specify whether:

- F91.1** Childhood-onset type
- F91.2** Adolescent-onset type
- F91.9** Unspecified onset
- F60.2** Antisocial Personality Disorder (185)
- F63.1** Pyromania (185)
- F63.2** Kleptomania (185)
- F91.8** Other Specified Disruptive, Impulse-Control, and Conduct Disorder (186)
- F91.9** Unspecified Disruptive, Impulse-Control, and Conduct Disorder (186)

Substance-Related and Addictive Disorders (187)

Substance-Related Disorders (190)

Alcohol-Related Disorders (192)

____.____ Alcohol Use Disorder (192)

Specify if: In a controlled environment

Specify current severity/remission:

- F10.10** Mild
- F10.11** In early remission
- F10.11** In sustained remission
- F10.20** Moderate
- F10.21** In early remission
- F10.21** In sustained remission

xxiii

- F10.20** Severe
- F10.21** In early remission
- F10.21** In sustained remission

____.____ Alcohol Intoxication (193)

- F10.120** With mild use disorder
- F10.220** With moderate or severe use disorder

F10.920 Without use disorder

____ Alcohol Withdrawal (194)

Without perceptual disturbances

F10.130 With mild use disorder

F10.230 With moderate or severe use disorder

F10.930 Without use disorder

With perceptual disturbances

F10.132 With mild use disorder

F10.232 With moderate or severe use disorder

F10.932 Without use disorder

____ Alcohol-Induced Mental Disorders (195)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____ Alcohol-Induced Psychotic Disorder^a (48)

F10.159 With mild use disorder

F10.259 With moderate or severe use disorder

F10.959 Without use disorder

____ Alcohol-Induced Bipolar and Related Disorder^a (66)

F10.14 With mild use disorder

F10.24 With moderate or severe use disorder

F10.94 Without use disorder

____ Alcohol-Induced Depressive Disorder^a (87)

F10.14 With mild use disorder

F10.24 With moderate or severe use disorder

F10.94 Without use disorder

____ Alcohol-Induced Anxiety Disorder^a (105)

F10.180 With mild use disorder

F10.280 With moderate or severe use disorder

F10.980 Without use disorder

- ____.____ Alcohol-Induced Sleep Disorder^a (161)
Specify whether Insomnia type
- F10.182** With mild use disorder
- F10.282** With moderate or severe use disorder
- F10.982** Without use disorder
- ____.____ Alcohol-Induced Sexual Dysfunction^a (173)
Specify if: Mild, Moderate, Severe
- F10.181** With mild use disorder

xxiv

- F10.281** With moderate or severe use disorder
- F10.981** Without use disorder
- ____.____ Alcohol Intoxication Delirium^{b,c} (242)
- F10.121** With mild use disorder
- F10.221** With moderate or severe use disorder
- F10.921** Without use disorder
- ____.____ Alcohol Withdrawal Delirium^{b,c} (243)
- F10.131** With mild use disorder
- F10.231** With moderate or severe use disorder
- F10.931** Without use disorder
- ____.____ Alcohol-Induced Major Neurocognitive Disorder (259)
Specify if: Persistent
- ____.____ Amnestic-confabulatory type
- F10.26** With moderate or severe use disorder
- F10.96** Without use disorder
- ____.____ Nonamnestic-confabulatory type
- F10.27** With moderate or severe use disorder
- F10.97** Without use disorder
- ____.____ Alcohol-Induced Mild Neurocognitive Disorder (259)
Specify if: Persistent
- F10.188** With mild use disorder

- F10.288** With moderate or severe use disorder
- F10.988** Without use disorder
- F10.99** Unspecified Alcohol-Related Disorder (195)

Caffeine-Related Disorders (195)

- F15.920** Caffeine Intoxication (195)
- F15.93** Caffeine Withdrawal (196)
- ____.____ Caffeine-Induced Mental Disorders (196)

Note: Disorders are listed in their order of appearance in the manual.

Specify With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When taken over the counter, substances in this class can also induce the relevant substance-induced mental disorder.

- F15.980** Caffeine-Induced Anxiety Disorder (105)
- F15.982** Caffeine-Induced Sleep Disorder (161)

Specify whether Insomnia type, Daytime sleepiness type, Mixed type

- F15.99** Unspecified Caffeine-Related Disorder (197)

Cannabis-Related Disorders (197)

- ____.____ Cannabis Use Disorder (197)
- Specify* if: In a controlled environment
- Specify* current severity/remission:

- F12.10** Mild
- F12.11** In early remission
- F12.11** In sustained remission

XXV

- F12.20** Moderate
- F12.21** In early remission
- F12.21** In sustained remission
- F12.20** Severe
- F12.21** In early remission
- F12.21** In sustained remission
- ____.____ Cannabis Intoxication (199)

Without perceptual disturbances

- F12.120** With mild use disorder
- F12.220** With moderate or severe use disorder
- F12.920** Without use disorder

With perceptual disturbances

- F12.122** With mild use disorder
- F12.222** With moderate or severe use disorder
- F12.922** Without use disorder

____.____ Cannabis Withdrawal (199)

- F12.13** With mild use disorder
- F12.23** With moderate or severe use disorder
- F12.93** Without use disorder

____.____ Cannabis-Induced Mental Disorders (200)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____.____ Cannabis-Induced Psychotic Disorder^a (48)

- F12.159** With mild use disorder
- F12.259** With moderate or severe use disorder
- F12.959** Without use disorder

____.____ Cannabis-Induced Anxiety Disorder^a (105)

- F12.180** With mild use disorder
- F12.280** With moderate or severe use disorder
- F12.980** Without use disorder

____.____ Cannabis-Induced Sleep Disorder^a (161)

Specify whether Insomnia type, Daytime sleepiness type, Mixed type

- F12.188** With mild use disorder
- F12.288** With moderate or severe use disorder
- F12.988** Without use disorder

- ____.____ Cannabis Intoxication Delirium^{b,c} (242)
- F12.121** With mild use disorder
- F12.221** With moderate or severe use disorder
- F12.921** Without use disorder
- F12.921** Pharmaceutical Cannabis Receptor Agonist–Induced Delirium^{b,c} (244)

XXVI

Note: When pharmaceutical cannabis receptor agonist medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium.

- F12.99** Unspecified Cannabis-Related Disorder (200)

Hallucinogen-Related Disorders (201)

- ____.____ Phencyclidine Use Disorder (201)
- Specify if:* In a controlled environment
- Specify current severity/remission:*
- F16.10** Mild
- F16.11** In early remission
- F16.11** In sustained remission
- F16.20** Moderate
- F16.21** In early remission
- F16.21** In sustained remission
- F16.20** Severe
- F16.21** In early remission
- F16.21** In sustained remission

- ____.____ Other Hallucinogen Use Disorder (202)
- Specify the particular hallucinogen*
- Specify if:* In a controlled environment
- Specify current severity/remission:*
- F16.10** Mild
- F16.11** In early remission
- F16.11** In sustained remission
- F16.20** Moderate

F16.21 In early remission
F16.21 In sustained remission
F16.20 Severe
F16.21 In early remission
F16.21 In sustained remission
____.____ Phencyclidine Intoxication (204)

F16.120 With mild use disorder
F16.220 With moderate or severe use disorder
F16.920 Without use disorder

____.____ Other Hallucinogen Intoxication (205)

F16.120 With mild use disorder
F16.220 With moderate or severe use disorder
F16.920 Without use disorder

F16.983 Hallucinogen Persisting Perception Disorder (206)

____.____ Phencyclidine-Induced Mental Disorders (206)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset after medication use. **Note:**
When prescribed as medication, substances in

xxvii

this class can also induce the relevant substance-induced mental disorder.

____.____ Phencyclidine-Induced Psychotic Disorder^a (48)

F16.159 With mild use disorder
F16.259 With moderate or severe use disorder
F16.959 Without use disorder

____.____ Phencyclidine-Induced Bipolar and Related Disorder^a (66)

F16.14 With mild use disorder
F16.24 With moderate or severe use disorder
F16.94 Without use disorder

____.____ Phencyclidine-Induced Depressive Disorder^a (87)

F16.14 With mild use disorder
F16.24 With moderate or severe use disorder

- F16.94** Without use disorder
- ____ Phencyclidine-Induced Anxiety Disorder^a (105)
- F16.180** With mild use disorder
- F16.280** With moderate or severe use disorder
- F16.980** Without use disorder
- ____ Phencyclidine Intoxication Delirium (242)
- Specify* if: Acute, Persistent
- Specify* if: Hyperactive, Hypoactive, Mixed level of activity
- F16.121** With mild use disorder
- F16.221** With moderate or severe use disorder
- F16.921** Without use disorder

____ Hallucinogen-Induced Mental Disorders (206)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____ Other Hallucinogen-Induced Psychotic Disorder^a (48)

- F16.159** With mild use disorder
- F16.259** With moderate or severe use disorder
- F16.959** Without use disorder

____ Other Hallucinogen-Induced Bipolar and Related Disorder^a (66)

- F16.14** With mild use disorder
- F16.24** With moderate or severe use disorder
- F16.94** Without use disorder

____ Other Hallucinogen-Induced Depressive Disorder^a (87)

- F16.14** With mild use disorder
- F16.24** With moderate or severe use disorder
- F16.94** Without use disorder

____ Other Hallucinogen-Induced Anxiety Disorder^a (105)

- F16.180** With mild use disorder

- F16.280** With moderate or severe use disorder
- F16.980** Without use disorder
- ____ Other Hallucinogen Intoxication Delirium^{b,c} (242)
- F16.121** With mild use disorder
- F16.221** With moderate or severe use disorder
- F16.921** Without use disorder
- F16.921** Ketamine or Other Hallucinogen–Induced Delirium^{b,c} (244)
- Note:** When ketamine or other hallucinogen medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium.
- F16.99** Unspecified Phencyclidine-Related Disorder (207)
- F16.99** Unspecified Hallucinogen-Related Disorder (207)

Inhalant-Related Disorders (207)

- ____ Inhalant Use Disorder (207)
- Specify* the particular inhalant
- Specify* if: In a controlled environment
- Specify* current severity/remission:
- F18.10** Mild
- F18.11** In early remission
- F18.11** In sustained remission
- F18.20** Moderate
- F18.21** In early remission
- F18.21** In sustained remission
- F18.20** Severe
- F18.21** In early remission
- F18.21** In sustained remission
- ____ Inhalant Intoxication (209)
- F18.120** With mild use disorder
- F18.220** With moderate or severe use disorder
- F18.920** Without use disorder

____.____ Inhalant-Induced Mental Disorders (210)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication

____.____ Inhalant-Induced Psychotic Disorder^a (48)

F18.159 With mild use disorder

F18.259 With moderate or severe use disorder

F18.959 Without use disorder

____.____ Inhalant-Induced Depressive Disorder^a (87)

F18.14 With mild use disorder

F18.24 With moderate or severe use disorder

F18.94 Without use disorder

____.____ Inhalant-Induced Anxiety Disorder^a (105)

F18.180 With mild use disorder

xxix

F18.280 With moderate or severe use disorder

F18.980 Without use disorder

____.____ Inhalant Intoxication Delirium (242)

Specify if: Acute, Persistent

Specify if: Hyperactive, Hypoactive, Mixed level of activity

F18.121 With mild use disorder

F18.221 With moderate or severe use disorder

F18.921 Without use disorder

____.____ Inhalant-Induced Major Neurocognitive Disorder (259)

Specify if: Persistent

F18.17 With mild use disorder

F18.27 With moderate or severe use disorder

F18.97 Without use disorder

____.____ Inhalant-Induced Mild Neurocognitive Disorder (259)

Specify if: Persistent

F18.188 With mild use disorder

- F18.288** With moderate or severe use disorder
- F18.988** Without use disorder
- F18.99** Unspecified Inhalant-Related Disorder (210)

Opioid-Related Disorders (210)

- ____.____ Opioid Use Disorder (210)
Specify if: On maintenance therapy, In a controlled environment
Specify current severity/remission:

- F11.10** Mild
- F11.11** In early remission
- F11.11** In sustained remission
- F11.20** Moderate
- F11.21** In early remission
- F11.21** In sustained remission
- F11.20** Severe
- F11.21** In early remission
- F11.21** In sustained remission

- ____.____ Opioid Intoxication (212)
Without perceptual disturbances

- F11.120** With mild use disorder
- F11.220** With moderate or severe use disorder
- F11.920** Without use disorder

With perceptual disturbances

- F11.122** With mild use disorder
- F11.222** With moderate or severe use disorder
- F11.922** Without use disorder

- ____.____ Opioid Withdrawal (213)

- F11.13** With mild use disorder
- F11.23** With moderate or severe use disorder
- F11.93** Without use disorder

____.____ Opioid-Induced Mental Disorders (214)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____.____ Opioid-Induced Depressive Disorder^a (87)

F11.14 With mild use disorder

F11.24 With moderate or severe use disorder

F11.94 Without use disorder

____.____ Opioid-Induced Anxiety Disorder^a (105)

F11.188 With mild use disorder

F11.288 With moderate or severe use disorder

F11.988 Without use disorder

____.____ Opioid-Induced Sleep Disorder^a (161)

Specify whether Insomnia type, Daytime sleepiness type, Mixed type

F11.182 With mild use disorder

F11.282 With moderate or severe use disorder

F11.982 Without use disorder

____.____ Opioid-Induced Sexual Dysfunction^a (173)

Specify if: Mild, Moderate, Severe

F11.181 With mild use disorder

F11.281 With moderate or severe use disorder

F11.981 Without use disorder

____.____ Opioid Intoxication Delirium^{b,c} (242)

F11.121 With mild use disorder

F11.221 With moderate or severe use disorder

F11.921 Without use disorder

____.____ Opioid Withdrawal Delirium^{b,c} (243)

F11.188 With mild use disorder

F11.288 With moderate or severe use disorder

F11.988 Without use disorder

____.____ Opioid-Induced Delirium^{b,c} (244)

Note: The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium.

F11.921 When opioid medication taken as prescribed (244)

F11.988 During withdrawal from opioid medication taken as prescribed (244)

F11.99 Unspecified Opioid-Related Disorder (214)

Sedative-, Hypnotic-, or Anxiolytic-Related Disorders (215)

____.____ Sedative, Hypnotic, or Anxiolytic Use Disorder (215)

Specify if: In a controlled environment

xxxix

Specify current severity/remission:

F13.10 Mild

F13.11 In early remission

F13.11 In sustained remission

F13.20 Moderate

F13.21 In early remission

F13.21 In sustained remission

F13.20 Severe

F13.21 In early remission

F13.21 In sustained remission

____.____ Sedative, Hypnotic, or Anxiolytic Intoxication (217)

F13.120 With mild use disorder

F13.220 With moderate or severe use disorder

F13.920 Without use disorder

____.____ Sedative, Hypnotic, or Anxiolytic Withdrawal (218)

Without perceptual disturbances

F13.130 With mild use disorder

F13.230 With moderate or severe use disorder

F13.930 Without use disorder

With perceptual disturbances

- F13.132** With mild use disorder
- F13.232** With moderate or severe use disorder
- F13.932** Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Mental Disorders (219)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Psychotic Disorder^a (48)

- F13.159** With mild use disorder
- F13.259** With moderate or severe use disorder
- F13.959** Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Bipolar and Related Disorder^a (66)

- F13.14** With mild use disorder
- F13.24** With moderate or severe use disorder
- F13.94** Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Depressive Disorder^a (87)

- F13.14** With mild use disorder
- F13.24** With moderate or severe use disorder
- F13.94** Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Anxiety Disorder^a (105)

- F13.180** With mild use disorder
- F13.280** With moderate or severe use disorder
- F13.980** Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Sleep Disorder^a (161)

Specify whether Insomnia type, Daytime sleepiness type, Parasomnia type,
Mixed type

F13.182 With mild use disorder

F13.282 With moderate or severe use disorder

F13.982 Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Sexual Dysfunction^a (173)

Specify if: Mild, Moderate, Severe

F13.181 With mild use disorder

F13.281 With moderate or severe use disorder

F13.981 Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic Intoxication Delirium^{b,c} (242)

F13.121 With mild use disorder

F13.221 With moderate or severe use disorder

F13.921 Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic Withdrawal Delirium^{b,c} (243)

F13.131 With mild use disorder

F13.231 With moderate or severe use disorder

F13.931 Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Delirium^{b,c} (244)

Note: The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium.

F13.921 When sedative, hypnotic, or anxiolytic medication taken as prescribed (244)

F13.931 During withdrawal from sedative, hypnotic, or anxiolytic medication taken as prescribed (244)

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Major Neurocognitive Disorder (259)

Specify if: Persistent

F13.27 With moderate or severe use disorder

F13.97 Without use disorder

____.____ Sedative-, Hypnotic-, or Anxiolytic-Induced Mild Neurocognitive Disorder (259)

Specify if: Persistent

F13.188 With mild use disorder

xxxiii

F13.288 With moderate or severe use disorder

F13.988 Without use disorder

F13.99 Unspecified Sedative-, Hypnotic-, or Anxiolytic-Related Disorder (219)

Stimulant-Related Disorders (220)

____.____ Stimulant Use Disorder (220)

Specify if: In a controlled environment

Specify current severity/remission:

____.____ Mild

F15.10 Amphetamine-type substance

F14.10 Cocaine

F15.10 Other or unspecified stimulant

____.____ Mild, In early remission

F15.11 Amphetamine-type substance

F14.11 Cocaine

F15.11 Other or unspecified stimulant

____.____ Mild, In sustained remission

F15.11 Amphetamine-type substance

F14.11 Cocaine

F15.11 Other or unspecified stimulant

____.____ Moderate

F15.20 Amphetamine-type substance

F14.20 Cocaine

F15.20 Other or unspecified stimulant

____.____ Moderate, In early remission

F15.21 Amphetamine-type substance

F14.21 Cocaine

F15.21 Other or unspecified stimulant

____.____ Moderate, In sustained remission

F15.21 Amphetamine-type substance
F14.21 Cocaine
F15.21 Other or unspecified stimulant
 _____. Severe
F15.20 Amphetamine-type substance
F14.20 Cocaine
F15.20 Other or unspecified stimulant
 _____. Severe, In early remission
F15.21 Amphetamine-type substance
F14.21 Cocaine
F15.21 Other or unspecified stimulant
 _____. Severe, In sustained remission
F15.21 Amphetamine-type substance
F14.21 Cocaine
F15.21 Other or unspecified stimulant

xxxiv

_____. Stimulant Intoxication (222)
Specify the particular intoxicant
 Without perceptual disturbances
 _____. Amphetamine-type substance or other stimulant intoxication
F15.120 With mild use disorder
F15.220 With moderate or severe use disorder
F15.920 Without use disorder
 _____. Cocaine intoxication
F14.120 With mild use disorder
F14.220 With moderate or severe use disorder
F14.920 Without use disorder
 With perceptual disturbances
 _____. Amphetamine-type substance or other stimulant intoxication
F15.122 With mild use disorder

F15.222 With moderate or severe use disorder

F15.922 Without use disorder

____.____ Cocaine intoxication

F14.122 With mild use disorder

F14.222 With moderate or severe use disorder

F14.922 Without use disorder

____.____ Stimulant Withdrawal (224)

Specify the particular substance that causes the withdrawal syndrome

____.____ Amphetamine-type substance or other stimulant withdrawal

F15.13 With mild use disorder

F15.23 With moderate or severe use disorder

F15.93 Without use disorder

____.____ Cocaine withdrawal

F14.13 With mild use disorder

F14.23 With moderate or severe use disorder

F14.93 Without use disorder

____.____ Stimulant-Induced Mental Disorders (224)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication, amphetamine-type substances and other stimulants can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Psychotic Disorder^a (48)

F15.159 With mild use disorder

F15.259 With moderate or severe use disorder

F15.959 Without use disorder

XXXV

____.____ Cocaine-Induced Psychotic Disorder^a (48)

- F14.159** With mild use disorder
- F14.259** With moderate or severe use disorder
- F14.959** Without use disorder
- ____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Bipolar and Related Disorder^a (66)
- F15.14** With mild use disorder
- F15.24** With moderate or severe use disorder
- F15.94** Without use disorder
- ____.____ Cocaine-Induced Bipolar and Related Disorder^a (66)
- F14.14** With mild use disorder
- F14.24** With moderate or severe use disorder
- F14.94** Without use disorder
- ____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Depressive Disorder^a (87)
- F15.14** With mild use disorder
- F15.24** With moderate or severe use disorder
- F15.94** Without use disorder
- ____.____ Cocaine-Induced Depressive Disorder^a (87)
- F14.14** With mild use disorder
- F14.24** With moderate or severe use disorder
- F14.94** Without use disorder
- ____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Anxiety Disorder^a (105)
- F15.180** With mild use disorder
- F15.280** With moderate or severe use disorder
- F15.980** Without use disorder
- ____.____ Cocaine-Induced Anxiety Disorder^a (105)
- F14.180** With mild use disorder
- F14.280** With moderate or severe use disorder
- F14.980** Without use disorder
- ____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Obsessive-Compulsive and Related Disorder^a (114)

- F15.188** With mild use disorder
- F15.288** With moderate or severe use disorder
- F15.988** Without use disorder
- ____.____ Cocaine-Induced Obsessive-Compulsive and Related Disorder^a (114)
- F14.188** With mild use disorder
- F14.288** With moderate or severe use disorder
- F14.988** Without use disorder
- ____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Sleep Disorder^a
(161)
- Specify* whether Insomnia type, Daytime sleepiness type, Mixed type
- F15.182** With mild use disorder
- F15.282** With moderate or severe use disorder
- F15.982** Without use disorder

xxxvi

- ____.____ Cocaine-Induced Sleep Disorder^a (161)
- Specify* whether Insomnia type, Daytime sleepiness type, Mixed type
- F14.182** With mild use disorder
- F14.282** With moderate or severe use disorder
- F14.982** Without use disorder
- ____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Sexual
Dysfunction^a (173)
- Specify* if: Mild, Moderate, Severe
- F15.181** With mild use disorder
- F15.281** With moderate or severe use disorder
- F15.981** Without use disorder
- ____.____ Cocaine-Induced Sexual Dysfunction^a (173)
- Specify* if: Mild, Moderate, Severe
- F14.181** With mild use disorder
- F14.281** With moderate or severe use disorder
- F14.981** Without use disorder
- ____.____

Amphetamine-Type Substance (or Other Stimulant) Intoxication Delirium^{b,c}
(242)

- F15.121** With mild use disorder
- F15.221** With moderate or severe use disorder
- F15.921** Without use disorder

____.____ Cocaine Intoxication Delirium^{b,c} (242)

- F14.121** With mild use disorder
- F14.221** With moderate or severe use disorder
- F14.921** Without use disorder

F15.921 Amphetamine-Type (or Other Stimulant) Medication–Induced Delirium^{b,c} (244)

Note: When amphetamine-type or other stimulant medication taken as prescribed. The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium.

____.____ Amphetamine-Type Substance (or Other Stimulant)–Induced Mild Neurocognitive Disorder (259)

Specify if: Persistent

- F15.188** With mild use disorder
- F15.288** With moderate or severe use disorder
- F15.988** Without use disorder

____.____ Cocaine-Induced Mild Neurocognitive Disorder (259)

Specify if: Persistent

- F14.188** With mild use disorder
- F14.288** With moderate or severe use disorder
- F14.988** Without use disorder

____.____ Unspecified Stimulant-Related Disorder (225)

- F15.99** Amphetamine-type substance or other stimulant
- F14.99** Cocaine

Tobacco-Related Disorders (225)

____.____ Tobacco Use Disorder (225)

Specify if: On maintenance therapy, In a controlled environment

Specify current severity/remission:

- Z72.0** Mild
- F17.200** Moderate
- F17.201** In early remission
- F17.201** In sustained remission
- F17.200** Severe
- F17.201** In early remission
- F17.201** In sustained remission
- F17.203** Tobacco Withdrawal (227)

Note: The ICD-10-CM code indicates the comorbid presence of a moderate or severe tobacco use disorder, which must be present in order to apply the code for tobacco withdrawal.

____.____ Tobacco-Induced Mental Disorders (228)

- F17.208** Tobacco-Induced Sleep Disorder, With moderate or severe use disorder (161)
Specify whether Insomnia type, Daytime sleepiness type, Mixed type
Specify With onset during withdrawal, With onset after medication use

F17.209 Unspecified Tobacco-Related Disorder (228)

Other (or Unknown) Substance–Related Disorders (228)

____.____ Other (or Unknown) Substance Use Disorder (228)

Specify if: In a controlled environment

Specify current severity/remission:

- F19.10** Mild
- F19.11** In early remission
- F19.11** In sustained remission
- F19.20** Moderate
- F19.21** In early remission
- F19.21** In sustained remission
- F19.20** Severe
- F19.21** In early remission
- F19.21** In sustained remission

____.____ Other (or Unknown) Substance Intoxication (230)

Without perceptual disturbances

- F19.120** With mild use disorder
- F19.220** With moderate or severe use disorder
- F19.920** Without use disorder
- With perceptual disturbances
- F19.122** With mild use disorder
- F19.222** With moderate or severe use disorder
- F19.922** Without use disorder

xxxviii

____.____ Other (or Unknown) Substance Withdrawal (231)

- Without perceptual disturbances
- F19.130** With mild use disorder
- F19.230** With moderate or severe use disorder
- F19.930** Without use disorder
- With perceptual disturbances
- F19.132** With mild use disorder
- F19.232** With moderate or severe use disorder
- F19.932** Without use disorder

____.____ Other (or Unknown) Substance–Induced Mental Disorders (232)

Note: Disorders are listed in their order of appearance in the manual.

^a*Specify* With onset during intoxication, With onset during withdrawal, With onset after medication use. **Note:** When prescribed as medication or taken over the counter, substances in this class can also induce the relevant substance-induced mental disorder.

^b*Specify* if: Acute, Persistent

^c*Specify* if: Hyperactive, Hypoactive, Mixed level of activity

____.____ Other (or Unknown) Substance–Induced Psychotic Disorder^a (48)

- F19.159** With mild use disorder
- F19.259** With moderate or severe use disorder
- F19.959** Without use disorder

____.____ Other (or Unknown) Substance–Induced Bipolar and Related Disorder^a (66)

- F19.14** With mild use disorder

- F19.24** With moderate or severe use disorder
- F19.94** Without use disorder
- ____.____ Other (or Unknown) Substance–Induced Depressive Disorder^a (87)
- F19.14** With mild use disorder
- F19.24** With moderate or severe use disorder
- F19.94** Without use disorder
- ____.____ Other (or Unknown) Substance–Induced Anxiety Disorder^a (105)
- F19.180** With mild use disorder
- F19.280** With moderate or severe use disorder
- F19.980** Without use disorder
- ____.____ Other (or Unknown) Substance–Induced Obsessive-Compulsive and Related Disorder^a (114)
- F19.188** With mild use disorder
- F19.288** With moderate or severe use disorder
- F19.988** Without use disorder
- ____.____ Other (or Unknown) Substance–Induced Sleep Disorder^a (161)
Specify whether Insomnia type, Daytime sleepiness type, Parasomnia type, Mixed type

xxxix

- F19.182** With mild use disorder
- F19.282** With moderate or severe use disorder
- F19.982** Without use disorder
- ____.____ Other (or Unknown) Substance–Induced Sexual Dysfunction^a (173)
Specify if: Mild, Moderate, Severe
- F19.181** With mild use disorder
- F19.281** With moderate or severe use disorder
- F19.981** Without use disorder
- ____.____ Other (or Unknown) Substance Intoxication Delirium^{b,c} (242)
- F19.121** With mild use disorder
- F19.221** With moderate or severe use disorder

- F19.921** Without use disorder
- ____.____ Other (or Unknown) Substance Withdrawal Delirium^{b,c} (243)
- F19.131** With mild use disorder
- F19.231** With moderate or severe use disorder
- F19.931** Without use disorder
- ____.____ Other (or Unknown) Medication–Induced Delirium^{b,c} (244)
- Note:** The designation “taken as prescribed” is used to differentiate medication-induced delirium from substance intoxication delirium and substance withdrawal delirium.
- F19.921** When other (or unknown) medication taken as prescribed (244)
- F19.931** During withdrawal from other (or unknown) medication taken as prescribed (244)
- ____.____ Other (or Unknown) Substance–Induced Major Neurocognitive Disorder (259)
- Specify if:* Persistent
- F19.17** With mild use disorder
- F19.27** With moderate or severe use disorder
- F19.97** Without use disorder
- ____.____ Other (or Unknown) Substance–Induced Mild Neurocognitive Disorder (259)
- Specify if:* Persistent
- F19.188** With mild use disorder
- F19.288** With moderate or severe use disorder
- F19.988** Without use disorder
- F19.99** Unspecified Other (or Unknown) Substance–Related Disorder (232)

Non-Substance-Related Disorders (233)

- F63.0** Gambling Disorder (233)
- Specify if:* Episodic, Persistent
- Specify if:* In early remission, In sustained remission
- Specify current severity:* Mild, Moderate, Severe

____ Delirium (242)

Specify if: Acute, Persistent

Specify if: Hyperactive, Hypoactive, Mixed level of activity

^a**Note:** For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced delirium. See also the criteria set and corresponding recording procedures in the manual for more information.

Specify whether:

____ Substance intoxication delirium^a

____ Substance withdrawal delirium^a

____ Medication-induced delirium^a

F05 Delirium due to another medical condition

F05 Delirium due to multiple etiologies

F05 Other Specified Delirium (246)

F05 Unspecified Delirium (246)

Major and Mild Neurocognitive Disorders (247)

Refer to the following sequence for coding and recording major and mild neurocognitive disorders (NCDs) in context with specific diagnoses listed, exceptions as noted:

Major and mild NCDs: *Specify whether due to [any of the following medical etiologies]:* Alzheimer's disease, Frontotemporal degeneration, Lewy body disease, Vascular disease, Traumatic brain injury, Substance/medication use, HIV infection, Prion disease, Parkinson's disease, Huntington's disease, Another medical condition, Multiple etiologies, Unknown etiology

Major and mild NCDs: Code first the *specific medical etiology* for the major or mild NCD.

Note: No etiological medical code is used for major vascular NCD, major NCDs due to possible etiologies, substance/medication-induced major or mild NCD, or major or mild NCD due to unknown etiology.

^a**Major NCD only:** Next code *severity* (placeholder "x" in 4th character of diagnostic codes below) as follows: .Ay mild, .By moderate, .Cy severe. **Note:** Not applicable to any substance/medication-induced NCD.

^b**Major NCD only:** Then code any *accompanying behavioral or psychological disturbance* (placeholder "y" in 5th and 6th characters of diagnostic codes below): .x11 with agitation; .x4 with anxiety; .x3 with mood symptoms; .x2 with psychotic disturbance; .x18 with other behavioral or psychological disturbance (e.g., apathy); .x0 without accompanying behavioral or psychological disturbance. **Note:** In cases where there is more than one type of associated behavioral or psychological disturbance, each is coded separately. See coding table on pp. 251–253 for more information.

^c**Mild NCD only** (*exceptions: see note d below*): Code either **F06.70** without behavioral disturbance or **F06.71** with behavioral disturbance (e.g., apathy, agitation, anxiety, mood symptoms, psychotic disturbance, or other behavioral symptoms). **Coding note for mild NCDs only:** Use additional disorder code(s) to indicate clinically significant psychiatric symptoms due to the same medical condition causing the mild NCD (e.g., F06.2 psychotic

xli

disorder due to Alzheimer’s disease with delusions; F06.32 depressive disorder due to Parkinson’s disease, with major depressive–like episode.) *Note:* The additional codes for mental disorders due to another medical condition are included with disorders with which they share phenomenology (e.g., for depressive disorders due to another medical condition, see “Depressive Disorders”).

^d**Mild NCD due to possible or unknown etiology:** Code only **G31.84**. No additional medical code is used. **Note:** “With behavioral disturbance” and “Without behavioral disturbance” cannot be coded but should still be recorded.

Major or Mild Neurocognitive Disorder Due to Alzheimer’s Disease (254)

F02. Major Neurocognitive Disorder Due to Probable Alzheimer’s Disease^{a,b}

[xy] **Note:** Code first **G30.9** Alzheimer’s disease.

F03. Major Neurocognitive Disorder Due to Possible Alzheimer’s Disease^{a,b}

[xy] **Note:** No additional medical code.

____. Mild Neurocognitive Disorder Due to Probable Alzheimer’s Disease^c

Note: Code first **G30.9** Alzheimer’s disease.

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Possible Alzheimer’s Disease^d

Major or Mild Frontotemporal Neurocognitive Disorder (255)

F02. Major Neurocognitive Disorder Due to Probable Frontotemporal Degeneration^{a,b}

[xy] **Note:** Code first **G31.09** frontotemporal degeneration.

F03. Major Neurocognitive Disorder Due to Possible Frontotemporal Degeneration^{a,b}

[xy] **Note:** No additional medical code.

____. Mild Neurocognitive Disorder Due to Probable Frontotemporal Degeneration^c

Note: Code first **G31.09** frontotemporal degeneration.

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Due to Possible Frontotemporal Degeneration^d

Major or Mild Neurocognitive Disorder With Lewy Bodies (256)

F02. Major Neurocognitive Disorder With Probable Lewy Bodies^{a,b}
[xy] **Note:** Code first **G31.83** Lewy body disease.

F03. Major Neurocognitive Disorder With Possible Lewy Bodies^{a,b}
[xy] **Note:** No additional medical code.

xlii

____. Mild Neurocognitive Disorder With Probable Lewy Bodies^c
Note: Code first **G31.83** Lewy body disease.

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder With Possible Lewy Bodies^d

Major or Mild Vascular Neurocognitive Disorder (257)

F01. Major Neurocognitive Disorder Probably Due to Vascular Disease^{a,b}
[xy] **Note:** No additional medical code.

F03. Major Neurocognitive Disorder Possibly Due to Vascular Disease^{a,b}
[xy] **Note:** No additional medical code.

____. Mild Neurocognitive Disorder Probably Due to Vascular Disease^c
Note: Code first **I67.9** cerebrovascular disease.

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Possibly Due to Vascular Disease^d

Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury (258)

Note: Code first **S06.2XAS** diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela.

F02. Major Neurocognitive Disorder Due to Traumatic Brain Injury^{a,b}
[xy]

____.____ Mild Neurocognitive Disorder Due to Traumatic Brain Injury^c

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

Substance/Medication-Induced Major or Mild Neurocognitive Disorder (259)

Note: No additional medical code is used. For applicable ICD-10-CM codes, refer to the substance classes under Substance-Related and Addictive Disorders for the specific substance/medication-induced major or mild NCD. See also the criteria set and corresponding recording procedures in the manual for more information.

Coding note: The ICD-10-CM code depends on whether or not there is a comorbid substance use disorder present for the same class of substance. In any case, an additional separate diagnosis of a substance use disorder is not given. *Note:* The symptom specifiers “With agitation,” “With anxiety,” “With mood symptoms,” “With psychotic disturbance,” “With other behavioral or psychological disturbance,” “Without accompanying behavioral or psychological disturbance” cannot be coded but should still be recorded.

Specify if: Persistent

xliii

____.____ Substance/Medication-Induced Major Neurocognitive Disorder

Specify current NCD severity: Mild, Moderate, Severe

____.____ Substance/Medication-Induced Mild Neurocognitive Disorder

Major or Mild Neurocognitive Disorder Due to HIV Infection (262)

Note: Code first B20 HIV infection.

F02. Major Neurocognitive Disorder Due to HIV Infection^{a,b}
[xy]

____.____ Mild Neurocognitive Disorder Due to HIV Infection^c

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

Major or Mild Neurocognitive Disorder Due to Prion Disease (263)

Note: Code first **A81.9** prion disease.

F02. Major Neurocognitive Disorder Due to Prion Disease^{a,b}
[xy]

____.____ Mild Neurocognitive Disorder Due to Prion Disease^c

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

Major or Mild Neurocognitive Disorder Due to Parkinson's Disease (263)

F02. Major Neurocognitive Disorder Probably Due to Parkinson's Disease^{a,b}
[xy] **Note:** Code first **G20** Parkinson's disease.

F03. Major Neurocognitive Disorder Possibly Due to Parkinson's Disease^{a,b}
[xy] **Note:** No additional medical code.

____.____ Mild Neurocognitive Disorder Probably Due to Parkinson's Disease^c
Note: Code first **G20** Parkinson's disease.

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

G31.84 Mild Neurocognitive Disorder Possibly Due to Parkinson's Disease^d

Major or Mild Neurocognitive Disorder Due to Huntington's Disease (264)

Note: Code first **G10** Huntington's disease.

F02. Major Neurocognitive Disorder Due to Huntington's Disease^{a,b}
[xy]

____.____ Mild Neurocognitive Disorder Due to Huntington's Disease^c

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

Major or Mild Neurocognitive Disorder Due to Another Medical Condition (265)

Note: Code first the other medical condition.

F02. Major Neurocognitive Disorder Due to Another Medical Condition^{a,b}
[xy]

____. Mild Neurocognitive Disorder Due to Another Medical Condition^c

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

Major or Mild Neurocognitive Disorder Due to Multiple Etiologies (265)

F02. Major Neurocognitive Disorder Due to Multiple Etiologies^{a,b}

[xy] **Note:** Code first all the etiological medical conditions (with the exception of cerebrovascular disease, which is not coded). Then code **F02.[xy]**^{a,b} once for major NCD due to all etiologies that apply. Code also **F01.[xy]**^{a,b} for major NCD probably due to vascular disease, if present. Code also the relevant substance/medication-induced major NCDs if substances or medications play a role in the etiology.

____. Mild Neurocognitive Disorder Due to Multiple Etiologies^c

Note: Code first all the etiological medical conditions, including **I67.9** cerebrovascular disease, if present. Then code **F06.70** or **F06.71** once (see below for 5th character) for mild NCD due to all etiologies that apply, including mild NCD probably due to vascular disease, if present. Code also the relevant substance/medication-induced mild NCDs if substances or medications play a role in the etiology.

F06.71 With behavioral disturbance

F06.70 Without behavioral disturbance

Major or Mild Neurocognitive Disorder Due to Unknown Etiology (266)

Note: No additional medical code.

F03. Major Neurocognitive Disorder Due to Unknown Etiology^{a,b}
[xy]

G31.84 Mild Neurocognitive Disorder Due to Unknown Etiology^d

R41.9 Unspecified Neurocognitive Disorder (267)

Note: No additional medical code.

Personality Disorders (269)

Cluster A Personality Disorders

- F60.0** Paranoid Personality Disorder (269)
- F60.1** Schizoid Personality Disorder (270)
- F21** Schizotypal Personality Disorder (271)

xliv

Cluster B Personality Disorders

- F60.2** Antisocial Personality Disorder (271)
- F60.3** Borderline Personality Disorder (272)
- F60.4** Histrionic Personality Disorder (273)
- F60.81** Narcissistic Personality Disorder (273)

Cluster C Personality Disorders

- F60.6** Avoidant Personality Disorder (274)
- F60.7** Dependent Personality Disorder (274)
- F60.5** Obsessive-Compulsive Personality Disorder (275)

Other Personality Disorders

- F07.0** Personality Change Due to Another Medical Condition (275)
Specify whether: Labile type, Disinhibited type, Aggressive type, Apathetic type, Paranoid type, Other type, Combined type, Unspecified type
- F60.89** Other Specified Personality Disorder (276)
- F60.9** Unspecified Personality Disorder (277)

Paraphilic Disorders (279)

The following specifier applies to Paraphilic Disorders where indicated:

^a*Specify* if: In a controlled environment, In full remission

F65.3 Voyeuristic Disorder^a (279)

F65.2 Exhibitionistic Disorder^a (279)

Specify whether: Sexually aroused by exposing genitals to prepubertal children, Sexually aroused by exposing genitals to physically mature individuals, Sexually aroused by exposing genitals to prepubertal children and to physically mature individuals

- F65.81** Frotteuristic Disorder^a (280)
- F65.51** Sexual Masochism Disorder^a (280)
Specify if: With asphyxiophilia
- F65.52** Sexual Sadism Disorder^a (281)
- F65.4** Pedophilic Disorder (281)
Specify whether: Exclusive type, Nonexclusive type
Specify if: Sexually attracted to males, Sexually attracted to females, Sexually attracted to both
Specify if: Limited to incest
- F65.0** Fetishistic Disorder^a (282)
Specify: Body part(s), Nonliving object(s), Other
- F65.1** Transvestic Disorder^a (282)
Specify if: With fetishism, With autogynephilia
- F65.89** Other Specified Paraphilic Disorder (283)
- F65.9** Unspecified Paraphilic Disorder (283)

Other Mental Disorders and Additional Codes (285)

- F06.8** Other Specified Mental Disorder Due to Another Medical Condition (285)
- F09** Unspecified Mental Disorder Due to Another Medical Condition (285)
- F99** Other Specified Mental Disorder (286)
- F99** Unspecified Mental Disorder (286)
- Z03.89** No Diagnosis or Condition (286)

Medication-Induced Movement Disorders and Other Adverse Effects of Medication (287)

- ____.____ Medication-Induced Parkinsonism (287)
- G21.11** Antipsychotic Medication– and Other Dopamine Receptor Blocking Agent– Induced Parkinsonism (287)
- G21.19** Other Medication-Induced Parkinsonism (287)
- G21.0** Neuroleptic Malignant Syndrome (291)

- G24.02** Medication-Induced Acute Dystonia (293)
- G25.71** Medication-Induced Acute Akathisia (295)
- G24.01** Tardive Dyskinesia (297)
- G24.09** Tardive Dystonia (299)
- G25.71** Tardive Akathisia (299)
- G25.1** Medication-Induced Postural Tremor (300)
- G25.79** Other Medication-Induced Movement Disorder (301)
- ____ Antidepressant Discontinuation Syndrome (301)
- T43.205A** Initial encounter
- T43.205D** Subsequent encounter
- T43.205S** Sequelae
- ____ Other Adverse Effect of Medication (303)
- T50.905A** Initial encounter
- T50.905D** Subsequent encounter
- T50.905S** Sequelae

Other Conditions That May Be a Focus of Clinical Attention (305)

Suicidal Behavior and Nonsuicidal Self-Injury (306)

Suicidal Behavior (306)

- ____ Current Suicidal Behavior (306)
- T14.91XA** Initial encounter
- T14.91XD** Subsequent encounter

xlvii

- Z91.51** History of Suicidal Behavior (307)

Nonsuicidal Self-Injury (307)

- R45.88** Current Nonsuicidal Self-Injury (307)
- Z91.52** History of Nonsuicidal Self-Injury (307)

Abuse and Neglect (307)

Child Maltreatment and Neglect Problems (308)

Child Physical Abuse (308)

____ Child Physical Abuse, Confirmed (308)

T74.12XA Initial encounter

T74.12XD Subsequent encounter

____ Child Physical Abuse, Suspected (308)

T76.12XA Initial encounter

T76.12XD Subsequent encounter

____ Other Circumstances Related to Child Physical Abuse (308)

Z69.010 Encounter for mental health services for victim of child physical abuse by parent

Z69.020 Encounter for mental health services for victim of nonparental child physical abuse

Z62.810 Personal history (past history) of physical abuse in childhood

Z69.011 Encounter for mental health services for perpetrator of parental child physical abuse

Z69.021 Encounter for mental health services for perpetrator of nonparental child physical abuse

Child Sexual Abuse (308)

____ Child Sexual Abuse, Confirmed (308)

T74.22XA Initial encounter

T74.22XD Subsequent encounter

____ Child Sexual Abuse, Suspected (309)

T76.22XA Initial encounter

T76.22XD Subsequent encounter

____ Other Circumstances Related to Child Sexual Abuse (309)

Z69.010 Encounter for mental health services for victim of child sexual abuse by parent

Z69.020 Encounter for mental health services for victim of nonparental child sexual abuse

Z62.810 Personal history (past history) of sexual abuse in childhood

Z69.011 Encounter for mental health services for perpetrator of parental child sexual abuse

Z69.021 Encounter for mental health services for perpetrator of nonparental child

Child Neglect (309)

____ Child Neglect, Confirmed (309)

T74.02XA Initial encounter

T74.02XD Subsequent encounter

____ Child Neglect, Suspected (309)

T76.02XA Initial encounter

T76.02XD Subsequent encounter

____ Other Circumstances Related to Child Neglect (309)

Z69.010 Encounter for mental health services for victim of child neglect by parent

Z69.020 Encounter for mental health services for victim of nonparental child neglect

Z62.812 Personal history (past history) of neglect in childhood

Z69.011 Encounter for mental health services for perpetrator of parental child neglect

Z69.021 Encounter for mental health services for perpetrator of nonparental child neglect

Child Psychological Abuse (310)

____ Child Psychological Abuse, Confirmed (310)

T74.32XA Initial encounter

T74.32XD Subsequent encounter

____ Child Psychological Abuse, Suspected (310)

T76.32XA Initial encounter

T76.32XD Subsequent encounter

____ Other Circumstances Related to Child Psychological Abuse (310)

Z69.010 Encounter for mental health services for victim of child psychological abuse by parent

Z69.020 Encounter for mental health services for victim of nonparental child psychological abuse

Z62.811 Personal history (past history) of psychological abuse in childhood

Z69.011 Encounter for mental health services for perpetrator of parental child psychological abuse

Z69.021 Encounter for mental health services for perpetrator of nonparental child psychological abuse

Adult Maltreatment and Neglect Problems (310)

Spouse or Partner Violence, Physical (310)

____ Spouse or Partner Violence, Physical, Confirmed (311)

T74.11XA Initial encounter

T74.11XD Subsequent encounter

xlix

____ Spouse or Partner Violence, Physical, Suspected (311)

T76.11XA Initial encounter

T76.11XD Subsequent encounter

____ Other Circumstances Related to Spouse or Partner Violence, Physical (311)

Z69.11 Encounter for mental health services for victim of spouse or partner violence, physical

Z91.410 Personal history (past history) of spouse or partner violence, physical

Z69.12 Encounter for mental health services for perpetrator of spouse or partner violence, physical

Spouse or Partner Violence, Sexual (311)

____ Spouse or Partner Violence, Sexual, Confirmed (311)

T74.21XA Initial encounter

T74.21XD Subsequent encounter

____ Spouse or Partner Violence, Sexual, Suspected (311)

T76.21XA Initial encounter

T76.21XD Subsequent encounter

____ Other Circumstances Related to Spouse or Partner Violence, Sexual (311)

Z69.81 Encounter for mental health services for victim of spouse or partner violence, sexual

Z91.410 Personal history (past history) of spouse or partner violence, sexual

Z69.12 Encounter for mental health services for perpetrator of spouse or partner violence, sexual

Spouse or Partner Neglect (311)

____ Spouse or Partner Neglect, Confirmed (312)

T74.01XA Initial encounter

T74.01XD Subsequent encounter

____ Spouse or Partner Neglect, Suspected (312)

T76.01XA Initial encounter

T76.01XD Subsequent encounter

____ Other Circumstances Related to Spouse or Partner Neglect (312)

Z69.11 Encounter for mental health services for victim of spouse or partner neglect

Z91.412 Personal history (past history) of spouse or partner neglect

Z69.12 Encounter for mental health services for perpetrator of spouse or partner neglect

1

Spouse or Partner Abuse, Psychological (312)

____ Spouse or Partner Abuse, Psychological, Confirmed (312)

T74.31XA Initial encounter

T74.31XD Subsequent encounter

____ Spouse or Partner Abuse, Psychological, Suspected (312)

T76.31XA Initial encounter

T76.31XD Subsequent encounter

____ Other Circumstances Related to Spouse or Partner Abuse, Psychological (313)

Z69.11 Encounter for mental health services for victim of spouse or partner psychological abuse

Z91.411 Personal history (past history) of spouse or partner psychological abuse

Z69.12 Encounter for mental health services for perpetrator of spouse or partner psychological abuse

Adult Abuse by Nonspouse or Nonpartner (313)

____ Adult Physical Abuse by Nonspouse or Nonpartner, Confirmed (313)

T74.11XA Initial encounter

T74.11XD Subsequent encounter

____ Adult Physical Abuse by Nonspouse or Nonpartner, Suspected (313)

T76.11XA Initial encounter

- T76.11XD** Subsequent encounter
- ____ Adult Sexual Abuse by Nonspouse or Nonpartner, Confirmed (313)
- T74.21XA** Initial encounter
- T74.21XD** Subsequent encounter
- ____ Adult Sexual Abuse by Nonspouse or Nonpartner, Suspected (313)
- T76.21XA** Initial encounter
- T76.21XD** Subsequent encounter
- ____ Adult Psychological Abuse by Nonspouse or Nonpartner, Confirmed (313)
- T74.31XA** Initial encounter
- T74.31XD** Subsequent encounter
- ____ Adult Psychological Abuse by Nonspouse or Nonpartner, Suspected (314)
- T76.31XA** Initial encounter
- T76.31XD** Subsequent encounter
- ____ Other Circumstances Related to Adult Abuse by Nonspouse or Nonpartner (314)

li

- Z69.81** Encounter for mental health services for victim of nonspousal or nonpartner adult abuse
- Z69.82** Encounter for mental health services for perpetrator of nonspousal or nonpartner adult abuse

Relational Problems (314)

- ____ Parent-Child Relational Problem (314)
- Z62.820** Parent–Biological Child (314)
- Z62.821** Parent–Adopted Child (314)
- Z62.822** Parent–Foster Child (314)
- Z62.898** Other Caregiver–Child (314)
- Z62.891** Sibling Relational Problem (315)
- Z63.0** Relationship Distress With Spouse or Intimate Partner (315)

Problems Related to the Family Environment (315)

- Z62.29** Upbringing Away From Parents (315)
- Z62.898** Child Affected by Parental Relationship Distress (315)

Z63.5 Disruption of Family by Separation or Divorce (315)

Z63.8 High Expressed Emotion Level Within Family (315)

Educational Problems (316)

Z55.0 Illiteracy and Low-Level Literacy (316)

Z55.1 Schooling Unavailable and Unattainable (316)

Z55.2 Failed School Examinations (316)

Z55.3 Underachievement in School (316)

Z55.4 Educational Maladjustment and Discord With Teachers and Classmates (316)

Z55.8 Problems Related to Inadequate Teaching (316)

Z55.9 Other Problems Related to Education and Literacy (316)

Occupational Problems (316)

Z56.82 Problem Related to Current Military Deployment Status (316)

Z56.0 Unemployment (317)

Z56.1 Change of Job (317)

Z56.2 Threat of Job Loss (317)

Z56.3 Stressful Work Schedule (317)

Z56.4 Discord With Boss and Workmates (317)

Z56.5 Uncongenial Work Environment (317)

Z56.6 Other Physical and Mental Strain Related to Work (317)

Z56.81 Sexual Harassment on the Job (317)

Z56.9 Other Problem Related to Employment (317)

Housing Problems (317)

Z59.01 Sheltered Homelessness (317)

Z59.02 Unsheltered Homelessness (317)

Z59.1 Inadequate Housing (317)

Z59.2 Discord With Neighbor, Lodger, or Landlord (317)

Z59.3 Problem Related to Living in a Residential Institution (317)

Z59.9 Other Housing Problem (317)

Economic Problems (318)

- Z59.41** Food Insecurity (318)
- Z58.6** Lack of Safe Drinking Water (318)
- Z59.5** Extreme Poverty (318)
- Z59.6** Low Income (318)
- Z59.7** Insufficient Social or Health Insurance or Welfare Support (318)
- Z59.9** Other Economic Problem (318)

Problems Related to the Social Environment (318)

- Z60.2** Problem Related to Living Alone (318)
- Z60.3** Acculturation Difficulty (318)
- Z60.4** Social Exclusion or Rejection (318)
- Z60.5** Target of (Perceived) Adverse Discrimination or Persecution (318)
- Z60.9** Other Problem Related to Social Environment (319)

Problems Related to Interaction With the Legal System (319)

- Z65.0** Conviction in Criminal Proceedings Without Imprisonment (319)
- Z65.1** Imprisonment or Other Incarceration (319)
- Z65.2** Problems Related to Release From Prison (319)
- Z65.3** Problems Related to Other Legal Circumstances (319)

Problems Related to Other Psychosocial, Personal, and Environmental Circumstances (319)

- Z72.9** Problem Related to Lifestyle (319)
- Z64.0** Problems Related to Unwanted Pregnancy (319)
- Z64.1** Problems Related to Multiparity (319)
- Z64.4** Discord With Social Service Provider, Including Probation Officer, Case Manager, or Social Services Worker (319)
- Z65.4** Victim of Crime (319)
- Z65.4** Victim of Terrorism or Torture (319)
- Z65.5** Exposure to Disaster, War, or Other Hostilities (319)

Problems Related to Access to Medical and Other Health Care (320)

- Z75.3** Unavailability or Inaccessibility of Health Care Facilities (320)
- Z75.4** Unavailability or Inaccessibility of Other Helping Agencies (320)

Circumstances of Personal History (320)

- Z91.49** Personal History of Psychological Trauma (320)
- Z91.82** Personal History of Military Deployment (320)

Other Health Service Encounters for Counseling and Medical Advice (320)

- Z31.5** Genetic Counseling (320)
- Z70.9** Sex Counseling (320)
- Z71.3** Dietary Counseling (320)
- Z71.9** Other Counseling or Consultation (320)

Additional Conditions or Problems That May Be a Focus of Clinical Attention (320)

- Z91.83** Wandering Associated With a Mental Disorder (320)
- Z63.4** Uncomplicated Bereavement (321)
- Z60.0** Phase of Life Problem (321)
- Z65.8** Religious or Spiritual Problem (321)
- Z72.811** Adult Antisocial Behavior (321)
- Z72.810** Child or Adolescent Antisocial Behavior (321)
- Z91.199** Nonadherence to Medical Treatment (322)
- E66.9** Overweight or Obesity (322)
- Z76.5** Malingering (322)
- R41.81** Age-Related Cognitive Decline (322)
- R41.83** Borderline Intellectual Functioning (323)
- R45.89** Impairing Emotional Outbursts (323)

SECTION I

DSM-5 Basics

Use of the Manual

Cautionary Statement for Forensic Use of DSM-5

Use of the Manual

This text is designed to provide a practical guide to using DSM-5, particularly in clinical practice.

Approach to Clinical Case Formulation

The primary purpose of DSM-5 is to assist trained clinicians in the diagnosis of mental disorders as part of a case formulation assessment that leads to an informed treatment plan for each individual. The case formulation for any given individual should involve a careful clinical history and concise summary of the social, psychological, and biological factors that may have contributed to developing a given mental disorder. It is not sufficient to simply check off the symptoms in the diagnostic criteria to make a mental disorder diagnosis. A thorough evaluation of these criteria may assure more reliable assessment (which may be aided by the use of dimensional symptom severity assessment tools); the relative severity and salience of an individual's signs and symptoms and their contribution to a diagnosis will ultimately require clinical judgment. Diagnosis requires clinical training to recognize when the combination of predisposing, precipitating, perpetuating, and protective factors has resulted in a psychopathological condition in which the signs and symptoms exceed normal ranges. The ultimate goal of a clinical case formulation is to use the available contextual and diagnostic information in developing a comprehensive treatment plan that is informed by the individual's cultural and social context. However, recommendations for the selection and use of the most appropriate evidence-based treatment options for each disorder are beyond the scope of this manual.